

Supplementary Material for Bioactive Secondary Metabolites from *Phomopsis* sp., an Endophytic Fungus from *Senna spectabilis*

NMR spectra of compound 7.

S1–S3

MS spectrum of compound 7.

S4

Figure S1. $^1\text{H-NMR}$ spectrum (500MHz, $\text{DMSO-}d_6$) of 7.




Figure S2. gHMBC spectrum (DMSO- d_6) of 7.

Relax. delay 1.000 sec
Acq. time 0.137 sec
Width 7472.4 Hz
2D Width 29027.6 Hz
32 repetitions
128 increments
OBSERVE H1, 499.3990145 MHz
DATA PROCESSING
Sine bell 0.069 sec
F1 DATA PROCESSING
Sine bell 0.003 sec
FT size 2048 x 2048
Total time 1 hr, 24 min, 0 sec




Figure S3. gHMQC spectrum (DMSO- d_6) of 7.

Relax. delay 1.000 sec
Acq. time 0.137 sec
Width 7472.4 Hz
2D Width 29027.6 Hz
16 repetitions
2 x 128 increments
OBSERVE H1, 499.3990145 MHz
DECOUPLE C13, 125.5883303 MHz
Power 47 dB
on during acquisition
off during delay
GARP-1 modulated
DATA PROCESSING
Gauss apodization 0.063 sec
F1 DATA PROCESSING
Gauss apodization 0.003 sec
FT size 2048 x 2048
Total time 1 hr, 21 min, 53 sec




Figure S4. Mass spectrum of 7.

