



# Supplementary Material


**Figure S1.**  $^1\text{H-NMR}$  spectrum ( $\text{CDCl}_3$ , 500 MHz) of 3,4-DMS.




**Figure S2.**  $^{13}\text{C-NMR}$  spectrum ( $\text{CDCl}_3$ , 125 MHz) of 3,4-DMS.





**Figure S3.**  $^1\text{H-NMR}$  spectrum ( $\text{CDCl}_3$ , 500 MHz) of 2,3-DMS.



**Figure S4.**  $^{13}\text{C}$ -NMR spectrum ( $\text{CDCl}_3$ , 125 MHz) of 2,3-DMS.**Table S1.** Calculated LogP of polymethoxystilbenes.

Name	Formula	Log P
3,5,4'-trimethoxystilbene		$4.32 \pm 0.26$
3,4,3',4'-tetramethoxystilbene		$3.98 \pm 0.35$
2,3-dimethoxystilbene		$3.94 \pm 0.24$
stilbene		$3.89 \pm 0.19$
3,4,5,2',4'-pentamethoxystilbene		$3.87 \pm 0.36$
3,4,5,3',5'-pentamethoxystilbene		$3.72 \pm 0.36$

Table 1S. *Cont.*

Name	Formula	Log P
3,4-dimethoxystilbene		3.61 ± 0.24
3,4,5,4'-tetramethoxystilbene		3.40 ± 0.35