

checkCIF/PLATON report

Structure factors have been supplied for datablock(s) MAB9

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: MAB9

Bond precision: O- B = 0.0023 A Wavelength=0.71075

Cell: a=9.0242(2) b=12.0350(3) c=11.1688(4)
 alpha=90 beta=109.811(3) gamma=90
Temperature: 100 K

	Calculated	Reported
Volume	1141.21(6)	1141.21(6)
Space group	P 21	P 1 21 1
Hall group	P 2yb	P 2yb
Moiety formula	B4 H4 O9, C8 H22 N2, 2(B H3 O3), 2(H2 O)	B4 H4 O9, 2(B H3 O3), 2(H2 O), 1(C8 H22 N2)
Sum formula	C8 H36 B6 N2 O17	C8 H36 B6 N2 O17
Mr	497.25	497.25
Dx,g cm-3	1.447	1.447
Z	2	2
Mu (mm-1)	0.131	0.131
F000	528.0	528.0
F000'	528.38	
h,k,lmax	11,15,14	11,15,14
Nref	5256[2754]	5229
Tmin,Tmax	0.988,0.997	0.772,1.000
Tmin'	0.983	

Correction method= # Reported T Limits: Tmin=0.772 Tmax=1.000
AbsCorr = MULTI-SCAN

Data completeness= 1.90/0.99 Theta(max)= 27.480

R(reflections)= 0.0303(4895) wR2(reflections)= 0.0802(5229)

S = 1.059 Npar= 449

test-name_ALERT_alert-type_alert-level.
Click on the hyperlinks for more details of the test.

PLAT089_ALERT_3_C Poor Data / Parameter Ratio (Zmax < 18) 6.13 Note

PLAT002_ALERT_2_G	Number of Distance or Angle Restraints on AtSite	31	Note
PLAT003_ALERT_2_G	Number of Uiso or Uij Restrained non-H Atoms ...	55	Report
PLAT007_ALERT_5_G	Number of Unrefined Donor-H Atoms	17	Report
PLAT042_ALERT_1_G	Calc. and Reported MoietyFormula Strings Differ	Please	Check
PLAT171_ALERT_4_G	The CIF-Embedded .res File Contains EADP Records	1	Report
PLAT172_ALERT_4_G	The CIF-Embedded .res File Contains DFIX Records	1	Report
PLAT175_ALERT_4_G	The CIF-Embedded .res File Contains SAME Records	2	Report
PLAT178_ALERT_4_G	The CIF-Embedded .res File Contains SIMU Records	1	Report
PLAT187_ALERT_4_G	The CIF-Embedded .res File Contains RIGU Records	1	Report
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 2)	100%	Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 3)	100%	Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 4)	100%	Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 6)	100%	Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 7)	100%	Note
PLAT304_ALERT_4_G	Non-Integer Number of Atoms in Resd 2	15.17	Check
PLAT304_ALERT_4_G	Non-Integer Number of Atoms in Resd 3	9.18	Check
PLAT304_ALERT_4_G	Non-Integer Number of Atoms in Resd 4	7.65	Check
PLAT304_ALERT_4_G	Non-Integer Number of Atoms in Resd 6	5.32	Check
PLAT304_ALERT_4_G	Non-Integer Number of Atoms in Resd 7	1.68	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact O31 ..C7B	2.52	Ang.
	1-x,-1/2+y,2-z =	2_647	Check
PLAT720_ALERT_4_G	Number of Unusual/Non-Standard Labels	44	Note
PLAT790_ALERT_4_G	Centre of Gravity not Within Unit Cell: Resd. #	5	Note
	B H3 O3		
PLAT811_ALERT_5_G	No ADDSYM Analysis: Too Many Excluded Atoms	!	Info
PLAT860_ALERT_3_G	Number of Least-Squares Restraints	974	Note

```
0 ALERT level A = Most likely a serious problem - resolve or explain
0 ALERT level B = A potentially serious problem, consider carefully
1 ALERT level C = Check. Ensure it is not caused by an omission or oversight
24 ALERT level G = General information/check it is not something unexpected
```

```

1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
3 ALERT type 2 Indicator that the structure model may be wrong or deficient
2 ALERT type 3 Indicator that the structure quality may be low
17 ALERT type 4 Improvement, methodology, query or suggestion
2 ALERT type 5 Informative message, check

```

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

