

Supplementary Information

Development and Optimization of Djulis Sourdough Bread Fermented by Lactic Acid Bacteria for Antioxidant Capacity

Hung-Yueh Chen ^{1,†}, Chang-Wei Hsieh ^{2,3,†}, Pin-Cheng Chen ¹, Shin-Pin Lin ⁴, Ya-Fen Lin ^{5,*} and Kuan-Chen Cheng ^{1,3,6,7,*}

¹ Institute of Food Science and Technology, College of Bioresources and Agriculture, National Taiwan University, Taipei 10617, Taiwan; yuwhyueh@gmail.com (H.-Y.C.); sdf1230648@yahoo.com.tw (P.-C.C.)
² Department of Food Science and Biotechnology, National Chung Hsing University, Taichung 402, Taiwan; welson@nchu.edu.tw
³ Department of Medical Research, China Medical University Hospital, China Medical University, 91, Hsueh-Shih Road, Taichung 404, Taiwan
⁴ School of Food Safety, Taipei Medical University, Taipei 11031, Taiwan; splin0330@tmu.edu.tw
⁵ Department of Agronomy, National Taiwan University, Taipei 10617, Taiwan
⁶ Institute of Biotechnology, College of Bioresources and Agriculture, National Taiwan University, Taipei 10617, Taiwan
⁷ Department of Optometry, Asia University, 500, Lioufeng Rd., Wufeng, Taichung 41354, Taiwan
* Correspondence: yafenlin0725@ntu.edu.tw (Y.-F.L.); kccheng@ntu.edu.tw (K.-C.C.)
† These authors contributed equally to the work.

Table S1. Organoleptic evaluation list.

