
SUPPORTING INFORMATIONS

Mammalian Arginase Inhibitory Activity and Vasorelaxant Positive Effect on Thoracic Aorta Rings from Rats of Methanolic Extracts from *Cyperus* Species.

Kamel Arraki,¹ Perle Totoson,¹ Alain Decendit,² Andy Zedet,¹ Justine Maroilley,¹ Alain Badoc,² Céline Demougeot,¹ and Corine Girard^{1,*}

¹ PEPITE EA 4267, FHU INCREASE, University of Bourgogne Franche-Comté, 25000 Besançon, France 1

² MIB-UR Oenologie, EA 4577, USC 1366 INRA, University of Bordeaux, ISVV, 33882 Villenave d'Ornon, France

* Correspondence: corine.girard@univ-fcomte.fr

N°	Content	Page
1	Figure S1. ^1H NMR spectrum of compound 1	1
1	Figure S2. ^{13}C NMR spectrum of compound 1	1
1	Figure S3. HSQC spectrum of compound 1	2
1	Figure S4. HMBC spectrum of compound 1	2
1	Figure S5. ^1H - ^1H COSY spectrum of compound 1	3
1	Figure S6. NOESY spectrum of compound 1	3
2	Figure S7. ^1H NMR spectrum of compound 2	4
2	Figure S8. ^{13}C NMR spectrum of compound 2	4
2	Figure S9. HSQC spectrum of compound 2	5
2	Figure S10. HMBC spectrum of compound 2	5
2	Figure S11. ^1H - ^1H COSY spectrum of compound 2	6
2	Figure S12. NOESY spectrum of compound 2	6




Figure S1. ^1H NMR spectrum of compound 1




Figure S2. ^{13}C NMR spectrum of compound 1



Figure S3. HSQC spectrum of compound **1**



Figure S4. HMBC spectrum of compound **1**




Figure S5. ^1H - ^1H COSY spectrum of compound **1**



Figure S6. NOESY spectrum of compound **1**




Figure S7. ^1H NMR spectrum of compound 2




Figure S8. ^{13}C NMR spectrum of compound 2




Figure S9. HSQC spectrum of compound **2**




Figure S10. HMBC spectrum of compound **2**



Figure S11. ^1H - ^1H COSY spectrum of compound **2**




Figure S12. NOESY spectrum of compound **2**