

Table S1. Interrelationships Among Risk Factors in Referenced Publications.

| ID | Source | Target | Reference of Source |
|----|--------|--------|---------------------|
| 1 | C1 | E2 | [1] |
| 2 | C2 | W7 | [2] |
| 3 | C2 | C3 | [3] |
| 4 | C2 | W9 | [3] |
| 5 | C2 | E2 | [2] |
| 6 | C3 | C2 | [3] |
| 7 | C3 | C4 | [3] |
| 8 | C8 | W7 | [4] |
| 9 | C8 | E1 | [4] |
| 10 | C8 | R1 | [4] |
| 11 | C8 | C5 | [4] |
| 12 | C8 | S9 | [4] |
| 13 | S2 | E8 | [5] |
| 14 | S2 | S4 | [5] |
| 15 | S3 | S4 | [6, 7] |
| 16 | S3 | E8 | [6, 7] |
| 17 | S3 | E2 | [6, 7] |
| 18 | S4 | W6 | [8, 9] |
| 19 | S4 | E8 | [8, 9] |
| 20 | S4 | W9 | [8, 9] |
| 21 | S5 | S1 | [10] |
| 22 | S5 | S6 | [10] |
| 23 | S5 | S10 | [10] |
| 24 | S5 | R1 | [10] |
| 25 | S5 | C7 | [10] |
| 26 | S5 | S4 | [11] |
| 27 | S5 | E8 | [10, 11] |
| 28 | S5 | W7 | [11] |
| 29 | S6 | C1 | [12] |
| 30 | S6 | S5 | [12] |
| 31 | S6 | E6 | [12] |
| 32 | S6 | E5 | [13] |
| 33 | S6 | W7 | [14] |
| 34 | S6 | W9 | [14] |
| 35 | S6 | C7 | [12] |
| 36 | S7 | C7 | [4] |
| 37 | S7 | S9 | [4] |
| 38 | S7 | S11 | [4] |
| 39 | W1 | R1 | [15] |
| 40 | W1 | E8 | [16] |
| 41 | W2 | W3 | [17] |
| 42 | W2 | W4 | [17] |
| 43 | W2 | W7 | [17, 18] |
| 44 | W3 | W8 | [19] |
| 45 | W3 | W9 | [19, 20] |
| 46 | W3 | W7 | [20] |

| | | | |
|----|-----|-----|----------|
| 47 | W4 | W7 | [21] |
| 48 | W4 | E8 | [22] |
| 49 | W4 | W10 | [23] |
| 50 | W4 | C2 | [22] |
| 51 | W4 | C3 | [22] |
| 52 | W5 | W7 | [4, 24] |
| 53 | W5 | E1 | [4, 24] |
| 54 | W5 | W3 | [24] |
| 55 | W5 | W4 | [24] |
| 56 | W5 | C7 | [4, 24] |
| 57 | W6 | W10 | [25] |
| 58 | W6 | C6 | [25, 26] |
| 60 | W6 | E8 | [25, 26] |
| 61 | W6 | R1 | [25] |
| 62 | W7 | W10 | [27] |
| 63 | W7 | E8 | [17] |
| 64 | W7 | W2 | [17, 28] |
| 65 | W10 | W3 | [29] |
| 66 | W10 | E8 | [29] |
| 67 | W10 | E6 | [29] |
| 68 | W10 | W5 | [29, 30] |
| 69 | W10 | C2 | [30] |
| 70 | W10 | W7 | [31] |
| 71 | W10 | W1 | [31] |
| 72 | E1 | W7 | [24, 32] |
| 73 | E1 | W5 | [24] |
| 74 | E1 | R1 | [32] |
| 75 | E2 | W7 | [1] |
| 76 | E2 | C1 | [1] |
| 77 | E2 | C2 | [1-3] |
| 78 | E2 | W5 | [2] |
| 79 | E2 | W8 | [2] |
| 80 | E2 | E5 | [2, 33] |
| 81 | E2 | W1 | [2] |
| 82 | E2 | E7 | [2] |
| 83 | E2 | S5 | [2] |
| 84 | E2 | C3 | [3] |
| 85 | E3 | C2 | [34] |
| 86 | E3 | W1 | [35] |
| 87 | E3 | W7 | [34] |
| 88 | E4 | S1 | [28] |
| 89 | E4 | C2 | [36-39] |
| 90 | E4 | W1 | [28] |
| 91 | E4 | W7 | [28, 40] |
| 92 | E7 | C2 | [34] |

- [1] D. J. Edwards and G. D. Holt, "Health and safety issues relating to construction excavators and their attachments," *Engineering, Construction and Architectural Management*, vol. 15, pp. 321-335, 2008.
- [2] D. Edwards, E. A. Parn, M. C. P. Sing, and W. D. Thwala, "Risk of excavators overturning: Determining horizontal centrifugal force when slewing freely suspended loads," *Engineering, Construction and Architectural Management*, vol. 26, pp. 479-498, 2019.
- [3] D. J. Edwards and G. D. Holt, "Mini-excavator safety: Toward innovative stability testing, procurement, and manufacture," *Journal of Construction Engineering and Management*, vol. 137, pp. 1125-1133, 2011.
- [4] Z. Riaz, D. J. Edwards, G. D. Holt, and T. Thorpe, "Data flow analysis of plant and equipment health and safety management," *Journal of Engineering, Design and Technology*, vol. 9, pp. 178-203, 2011.
- [5] X. Shen, E. Marks, N. Pradhananga, and T. Cheng, "Hazardous proximity zone design for heavy construction excavation equipment," *Journal of Construction Engineering and Management*, vol. 142, 2016.
- [6] F. Vahdatikhaki and A. Hammad, "Risk-based look-ahead workspace generation for earthwork equipment using near real-time simulation," *Automation in Construction*, vol. 58, pp. 207-220, 2015.
- [7] F. Vahdatikhaki and A. Hammad, "Dynamic equipment workspace generation for improving earthwork safety using real-time location system," *Advanced Engineering Informatics*, vol. 29, pp. 459-471, 2015.
- [8] T. Cheng, U. Mantripragada, J. Teizer, and P. A. Vela, "Automated trajectory and path planning analysis based on ultra wideband data," *Journal of Computing in Civil Engineering*, vol. 26, pp. 151-160, 2012.
- [9] J. J. C. Lin, C. E. Yang, W. H. Hung, and S. C. Kang, "Accessibility evaluation system for site layout planning – a tractor trailer example," *Visualization in Engineering*, vol. 1, 2013.
- [10] F. Vahdatikhaki, S. M. Langari, A. Taher, K. El Ammari, and A. Hammad, "Enhancing coordination and safety of earthwork equipment operations using Multi-Agent System," *Automation in Construction*, vol. 81, pp. 267-285, 2017.
- [11] N. Pradhananga and J. Teizer, "Automatic spatio-temporal analysis of construction site equipment operations using GPS data," *Automation in Construction*, vol. 29, pp. 107-122, 2013.
- [12] A. J. Al-Bayati and L. Panzer, "Reducing Damage to Underground Utilities: Lessons Learned from Damage Data and Excavators in North Carolina," *Journal of Construction Engineering and Management*, vol. 145, 2019.
- [13] W. A. Tanoli, A. Sharafat, J. Park, and J. W. Seo, "Damage Prevention for underground utilities using machine guidance," *Automation in Construction*, vol. 107, 2019.
- [14] S. A. Talmaki and V. R. Kamat, "Sensor Acquisition and Allocation for Real-Time Monitoring of Articulated Construction Equipment in Digital Twins," *Sensors*, vol. 22, 2022.
- [15] V. Zamani, S. Y. Banihashemi, and A. Abbasi, "How can communication networks among excavator crew members in construction projects affect the relationship between safety climate and safety outcomes?," *Safety Science*, vol. 128, 2020.
- [16] H. S. Mahdi and E. Afshar, "Performance of electronic devices for bridging existing information gaps at construction sites: the case of a developing country," *Int. J. Constr. Manage.*, 2022.
- [17] M. Choi, S. Ahn, and J. Seo, "VR-Based investigation of forklift operator situation awareness for preventing collision accidents," *Accident Analysis and Prevention*, vol. 136, 2020.
- [18] T. Cheng and J. Teizer, "Real-time resource location data collection and visualization technology for construction safety and activity monitoring applications," *Automation in Construction*, vol. 34, pp. 3-15, 2013.
- [19] L. Wang, H. Li, Y. Yao, D. Han, C. Yu, W. Lyu, *et al.*, "Smart cushion-based non-invasive mental fatigue assessment of construction equipment operators: A feasible study," *Advanced Engineering Informatics*, vol. 58, p. 102134, 2023.

- [20] J. Li, H. Li, H. Wang, W. Umer, H. Fu, and X. Xing, "Evaluating the impact of mental fatigue on construction equipment operators' ability to detect hazards using wearable eye-tracking technology," *Automation in Construction*, vol. 105, 2019.
- [21] D. J. Edwards and G. D. Holt, "Perceptions of workplace vibration hazards among a small sample of UK construction professionals," *Engineering, Construction and Architectural Management*, vol. 14, pp. 261-276, 2007.
- [22] R. P. Blood, P. W. Rynell, and P. W. Johnson, "Whole-body vibration in heavy equipment operators of a front-end loader: Role of task exposure and tire configuration with and without traction chains," *Journal of Safety Research*, vol. 43, pp. 357-364, 2012.
- [23] T. H. Langer, T. K. Iversen, N. K. Andersen, O. O. Mouritsen, and M. R. Hansen, "Reducing whole-body vibration exposure in backhoe loaders by education of operators," *International Journal of Industrial Ergonomics*, vol. 42, pp. 304-311, May 2012.
- [24] D. J. Edwards, G. D. Holt, and B. Robinson, "An artificial intelligence approach for improving plant operator maintenance proficiency," *Journal of Quality in Maintenance Engineering*, vol. 8, pp. 239-252, 2002.
- [25] M. Fagnoli and M. Lombardi, "Preliminary human safety assessment (PHSA) for the improvement of the behavioral aspects of safety climate in the construction industry," *Buildings*, vol. 9, 2019.
- [26] Y. M. Goh and M. J. A. Ali, "A hybrid simulation approach for integrating safety behavior into construction planning: An earthmoving case study," *Accident Analysis & Prevention*, vol. 93, pp. 310-318, 2016.
- [27] F. N. Abdeen, R. N. Gunatilaka, S. M. E. Sepasgozar, and D. J. Edwards, "The usability of a novel mobile augmented reality application for excavation process considering safety and productivity in construction," *Construction Innovation*, 2022.
- [28] J. Teizer, B. S. Allread, C. E. Fullerton, and J. Hinze, "Autonomous pro-active real-time construction worker and equipment operator proximity safety alert system," *Automation in Construction*, vol. 19, pp. 630-640, 2010.
- [29] J. Li, H. Li, F. Wang, A. S. K. Cheng, X. Yang, and H. Wang, "Proactive analysis of construction equipment operators' hazard perception error based on cognitive modeling and a dynamic Bayesian network," *Reliability Engineering and System Safety*, vol. 205, 2021.
- [30] G. E. Gürçanlı, S. Baradan, and M. Uzun, "Risk perception of construction equipment operators on construction sites of Turkey," *International Journal of Industrial Ergonomics*, vol. 46, pp. 59-68, 2015.
- [31] S. Sakhakarmi, J. Park, and A. Singh, "Tactile-based wearable system for improved hazard perception of worker and equipment collision," *Automation in Construction*, vol. 125, p. 103613, 2021.
- [32] D. J. Edwards and P. E. D. Love, "A case study of machinery maintenance protocols and procedures within the UK utilities sector Dedicated to MRS. June Edwards, a lady of great distinction who preserved the health and dignity of others for many years. A loving mother and grandmother, without whose help, this work and many achievements would not have been possible," *Accident Analysis and Prevention*, vol. 93, pp. 319-329, 2016.
- [33] Q. Zhu, C. Xiao, H. Hu, Y. Liu, and J. Wu, "Multi-sensor based online attitude estimation and stability measurement of articulated heavy vehicles," *Sensors (Switzerland)*, vol. 18, 2018.
- [34] D. J. Edwards and G. D. Holt, "Case study analysis of risk from using excavators as 'cranes'," *Automation in Construction*, vol. 19, pp. 127-133, 2010.
- [35] S. J. Ray and J. Teizer, "Coarse head pose estimation of construction equipment operators to formulate dynamic blind spots," *Advanced Engineering Informatics*, vol. 26, pp. 117-130, 2012.
- [36] E. D. Marks, T. Cheng, and J. Teizer, "Laser scanning for safe equipment design that increases operator visibility by measuring blind spots," *Journal of Construction Engineering and Management*, vol. 139, pp. 1006-1014, 2013.

- [37] J. Teizer, B. S. Allread, and U. Mantripragada, "Automating the blind spot measurement of construction equipment," *Automation in Construction*, vol. 19, pp. 491-501, 2010.
- [38] C. Ferreira, S. S. Kumar, and D. M. Abraham, "Using Backing Cameras to Prevent Work Zone Accidents Involving Mobile Equipment," *Practice Periodical on Structural Design and Construction*, vol. 22, 2017.
- [39] S. J. Ray and J. Teizer, "Computing 3D blind spots of construction equipment: Implementation and evaluation of an automated measurement and visualization method utilizing range point cloud data," *Automation in Construction*, vol. 36, pp. 95-107, 2013.
- [40] O. Golovina, J. Teizer, and N. Pradhananga, "Heat map generation for predictive safety planning: Preventing struck-by and near miss interactions between workers-on-foot and construction equipment," *Automation in Construction*, vol. 71, pp. 99-115, 2016.